

TOOLBOX MEETING GUIDE



Self-propelled boom lifts

Workers operating self-propelled boom lifts face a risk of injury from

- Falling or tipping over due to slopes, uneven terrain, curbs, holes, or objects on the ground
- Contact with overhead obstructions, including power lines

By following the safe work practices listed below, you can help reduce the risk of injuring yourself or others while using this equipment.

Safe work practices

- Inspect the equipment before you use it, and as required during use, to ensure it is operating safely. Review and update the log book.
- Test equipment before using it to make sure that all safety devices are working properly.
- Report defects and conditions affecting the safe operation of the equipment to your supervisor or employer.
- Any repairs or adjustments necessary for the safe operation of the equipment must be made before the equipment is used.
- Before operating any equipment, be aware of and stay clear of all overhead obstructions and hazards, including high voltage lines.
- Ensure that the supporting surface is firm, level, and clear of depressions or obstructions. Make sure that the wheels are contacting the ground before elevating or repositioning the unit.
- Always wear fall protection when required.
- Maintain full control of the equipment and comply with the laws governing the operation of the equipment at all times.



Project:	Address:	
Employer:	Supervisor: _	
Other safety issues or s	uggestions made by crew ı	members:
Record of those attending	ng:	
Name: (please print)	Signature:	Company:
1.		
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
Manager's remarks:		
Manager:	Supervisor:	
(signature)		(signature)



WORKING TO MAKE A DIFFERENCE worksafebc.com